	Approved For Ive	case 1333/03/00 . OIA-IX		rundu
ITEM NO.	G.P.L. VO.	DESCRIPTION	OTY. FOR PC-210A-ITEM#9	QTY. FOR Lyndia PC-210 -ITEM#16/
1	5132– 88	Amplifier	2	4
.5	104-1528-103	Capacitor	3	6
4	104-1023-204	Capacitor	3	6
5	104-1023-215	Capacitor	3	6
6	104-1024-247	Capacitor	3	6
7	104-1002-59	Capacitor	3	6
8	104-1002-63	Capacitor	3	6
9	104-1016-139	Capacitor	3	6
10	104-1023-217	Capacitor	3	6
11	101-1017-13	Capacitor	3	6
12	104-0506-206	Capacitor	3	6
13	104-0506-208	Capacitor	3 ,	6
14	104-0506-210	Capacitor	3	6
15	104-0506-154	Capacitor	* 3	6
16	104-0506-99	Capacitor	6	12
17	104-0506-100	Capacitor	6	12
. 2.8	104-0539-483	Capacitor	3	6
. 19	104-0506-181	Capacitor	3	6
20	104-0506-212	Capacitor	9	18
22	104-0506-214	Capacitor	3	6
23	104-0506-216	Cavacitor	6	12
24	104-0506-105	Capacitor	- 3	6
25	104-0506-50	Capacitor	6	12
26	104-0539-495	Capacitor	3	6
27	104-0506-106	Capacitor	3	6
28	104-0506-218	Capacitor	9	18
29	10-0501-274	Capacitor	3	6
30	104-0506-220	Capacitor	3 -	6
				

31

ingo De

			S Comment of the second	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
LTEM NO.	G.P.L. TO.	PESCRIPTION	QTY. FOR PC-210A-ITEM#9	QTY. FOR TC-210-ITEM#10
32	104-0506-86	Capacitor	3	6
33	104-0506-110	Capacitor	3	6
-34	104-0501-110	Capacitor	3	6
35	104-0506-222	Capacitor	3	6
<i>3</i> 6	104-0640-3	Capacitor	6	12
37	1.04-0620-23	Capacitor	3	6
38	104-0002-8	Capacitor	3	6
39	104-2002-503	Capacitor	3	6
ŢťQ	104-1030-15	Capacitor	3	6
43.	104-0121-306	Capacitor	3	6
h2	104-0545-94	Capacitor	3	6
J ₄ 3	104-0545-206	Capacitor	3	6
ill	1.04-0545-216	Capacitor	6	12
45	104-0545-106	Capacitor	1.2	24
146	104-0545-218	Capacitor	6	12
1,7	104-0546-1	Capacitor	3	6
48	104-0545-108	Capacitor	3	6
49	104-0545-222	Capacitor	3	6
50	104-0545-56	Capacitor	3	6
53.	104-0545-112	Capacitor	3	6
52	104-0641-1	Capacitor	3	6
53	104-0541-4	Capacitor	3	6
54	104-0639-356	Capacitor	3	6
55	105-101-21	Connector	3	6
56	105-101-11	Connector	3	6
58	105-141-215	Connector	3	6
59	105-141-15	Connector (Gorn)	3	6
60	Approved For F	Rel egse 199 9/09/09 _{0b} GLA-R	DP81B00879R00090015	0014-6 6

rage #3	and a to and					
ITEM	G.P.L. NO.	DESCRIPTION	QTY. FOR PC-210A-ITEM#9	Qty. FOR PC-210-ITE #10		
61	105-139-1	Connector	9	18		
62	129-82-1	Coil, Choke	2	2		
63	130-1-IN301	Diode	6	12		
64	130-9-1	Diode	3	6		
65	130-1-TN-343	Diode	33	66		
66	138-83-1	Filter	2	. 2		
68	138-84-1	Filter	2	4		
69	144-3-1	Rectifier	3	6		
70	11933-1	Relay	\mathcal{V}_{4}	8		
71	119-41-1	Relay	2	Ţŧ		
72	120-1027-1	Resistor	3	6		
73	120-1515-55	Resistor	3	6		
74.	120-10-6205	Resistor	3	6		
75	120-10-1515	Resistor	3	6		
76	120-10-2211	Resistor	3	6		
77.1	120-10-3315	Resistor	9	.		
78.1	120-11-3315	Resistor	3	6		
79	120-10-4715	Resistor	6	12		
4	ur y griffe					
81.1	120-10-8215	Resistor	3	6		
82	120-10-9115	Resistor	3	6		
83	120101025	Resistor	o	18		
8և	120-10-1021	Resistor	9	o		
85.1	120-111-1025	Resistor	3	6		
8 6	120-10-1225	Resistor	3	6		
88	120-10-1521	Resistor	6	12		
8 9	120-1020-32	Resistor	3	6		
90	120-1020-33	Resistor	3	6		
91	Approved For Re	lease 1999/09/08 : CIA-	RDP81B00 <u>87</u> 9R00090	0150014 <u>7</u> 6		

Page #4			QTY. FOR	Q'IY. FOR
ITEM	G.P.L. NO.	DESCRIPTION	PC-210A-ITE #9	PC-210-ITE/#10
	* * * * * * * * * * * * * * * * * * *	i K		•
9 3	120-10-3325	Resistor	9	l
	e e e e e e e e e e e e e e e e e e e		<u>:</u>	
95	120-10-4325	Resistor	3	6
96.1	120-10-4725	Resistor	3	6
97	120-10-5625	Resistor	3	6
98 .1	120-12-5625	Resistor	3	6
99	120-10-6825	Resistor	3	24
1.00	120-10-6821	Resistor	9	O
101	120-39-301	Resistor	3	6
103.1	120-11-1035	Resistor	3	6
104	120-10-1535	Resistor	6	12
	en de la companya de			
1.06	120-10-1835	Resistor	3	6
1.07	120-10-2035	Resistor	3	6
1.08	120-10-2235	Resistor	12	24
		, Section		
110.1	120-11-2235	Resistor	20	39
111.1	120-11-2735	Resistor	3	6
112	120113035	Resistor	3	6
113	120-10-3335	Resistor	3	6
115	120-10-3935	Resistor	0	9
116	120-10-3931	Resistor	6	3
117	120-10-4735	Resistor	9	0
118	120-10-4731	Resistor	O	18
119	120-11-4735	Resistor	3	6
120	120-42-1801.	Resistor	3	6
121.1	120–12–կ735 Approved For Rel	Resistor ease 1999/09/08 :	3 CIA-RDP81B00879R000900150	6 014-6

Approved For Release 1999/09/08 : CIA-RDP81B00879R000900150014-6

ITEN NO.	G.P.L. NO.	DESCRIPTION	OTY. FOR PC-210A-ITE #9	QTY. FOR PC-210-ITE#1.0
122	120-1031-50001	Resistor	3	5
123	120-10-5635	Resistor	9	128
1,24	120-1020-38	Resistor	3	6
125	120-10-6235	Resistor	3	6
126	120-1031-63601	Resistor	3	6
127	120-39-1820	Resistor	3	6
128	120-41-1801	Resistor	3	6
129	120-11-6835	Resistor	0	9
130	120-11-6831	Resistor	6	3
131.1	120-12-6835	Resistor	3	6
132	120-11-9135	Resistor	3	6
133	120-39-401	Resistor	6	12
13h	120-10-1045	Resistor	18	36
136.1	120-11-1045	Resistor	3	6
137.1	120-12-1045	Resistor	3	6
1,38	120-39-1821	Resistor	3	6
140	120-10-1245	Resistor	3	6
ua.	120-1031-14702	Resistor	3	6
:143	120-39-418	Resistor	6	15
344	120-10-1545	Resistor	15	30
146.1	120-12-1545	Resistor	3	6
147	120-1020-37	Resistor	3	6
148	120-10-1845	Resistor	9	18
149.1	120-10-2045	Resistor	3	6
1.50	120-10-2245	Resistor	15	30

Page #6

ITEM NO.	G.P.L. NO.	DESCRIPTION	QTY. FOR PC-210A-ITE4#9	QTY. FOR PC-210-ITEM#10
152	120-1021-27	Resistor	3	6
153	120-1025-5	Resistor	3	6
154.1	120-10-2745	Resistor	24	48
155	120-39-1807	Resistor	3	6
1.56	120-10-3045	Resistor	6	12
157	120-1028-1	Resistor	3	6
158	120-10-3345	Resistor	0	9
1.59	120-10-3341	Resistor	6	3
160.1	120-11-3345	Resistor	3	6
161	120-1031-43002	Resistor	3	6
162	120-1020-501	Resistor	3	6
163	120-10-4745	Resistor	18	. 0
16h	120-10-4741	Resistor	9	5 i ı
165	120-11-4745	Resistor	3	6
167	120-39-1808	Resistor	3	6
168	120-10-9145	Resistor	3 /	6
169	120-1032-10003	Resistor	3	6
170	120-39-501	Resistor	9	18
171	120-10-1055	Resistor	1 8	0
172	120-10-1051	Resistor	9	54
173	120-39-1829	Resistor	3	6
174	120-1021-501	Resistor	3	6
175	120-10-1555	Resistor	0	1 8
176	120-10-1551	Resistor	9	O
177	120-39-1830	Resistor	6	12
178	120-39-1831	Resistor	3	6
1.79	120-10-2255	Resistor	3	6
/0	Approved For Re	Resistor	3 : CIA-RDP81B00879R00	บ ย บบา อบ บูา4-6

age III

ITEM TO.	G.P.L. NO	DESCRIPTION	QTY. TOR PC-210A-ITEM#9	Qty. FOR PC-210-ITEM#10
181	120-10-2755	Resistor	3	6
182	120-10-3955	Resistor	3	6
184.1	120-10-4755	Resistor	6	1.2
1.85	121-0554-3	Resistor	3	6
186	121~0554-10	Resistor	3	6
190	120-49-307	Resistor	3	6
191	120-49-309	Resistor	3	6
1.94	120-39-234	Resistor	3	6
195	120-39-371	Resistor	3	6
196	120-39-1802	Resistor	3	6
197	70 11 694	Resistor	3	6
198	146-20-1	Transformer	2	Ц
1.99	146-58-1	Transformer	2	ц
203	146-83-1	Transformer	2	1.
204	130-2-5639	Electron Tube	3	6
205	130-2-5670WA	Electron Tube	6	12
206	130-10-1	Electron Tube	3	6
207	130-2-3033	Electron Tube	3	6
208	130-2-5687	Electron Tube	3	6
2.09	130-2-5702WA	Electron Tube	3	6
210	130-2 - 5783//A	Electron Tube	3	6

TEM NO.	G,P.L. NO.	DESCRIPTION	QTY. FOR PC-210A ITEM #9	Qty. FOR PC-210 Item #10
11	130-2-6021	ELFCTRON TUBE	6	12
32	130-2-6111	ELECTRON TUBE	7	o
J. 3	130-2-6112	ELFCTRON TUBE	9	18
J.6	5132-71	TRANSFORMER	. 2	1 4
17	5132-125	TRANSFORMER	2	3
20	130-2-5725/6ASW/6187	ELECTRON TUBE	3	6
•21	130-2-5726/6AL5/6097	ELECTRON TUBE	12	24
222	130-2-5751WA	ELECTRON TUBE	9	18
= 23	130-2-581hWA	EIF CTRON TUBE	9	18
÷24	130~2~6AU6WA	ELECTRON TUPE	6	12
325	130-2-6336	ELECTRON TUBE	3	6
227	105-101-12	CONNECTOR	3	6
228	105-101-22	CONNECTOR	3	6
⊇29	105-122-520	CONNECTOR	3	6
≥30	105-154-1	CONVECTOR	3	6
231	105-141-315	COMMECTOR	3	6
234	159-1-1	CHOPPER	2	L. L.
23 5	138-81-2	FILTER	2	Ŀ
236	138-85-1	FILTER	2	3
-2 37	119-20-1	RELAY	6	12
238	119-35-4	RELAY	3	6
239	119≈3l :~1	REIAY	3	6
Sf† 0	120-39-201	RESISTOR	3	6
241.1	120-10-2725	RESISTOR	6	12
249	201-26-1	BEARING AZIMUTH	1	, 5
251	104-0506-103	CAPACITOR	3	6
'52	104-0002-12	CAPACITOR	6	12
İ	•		٠3	1 6

		7		
ITEM NO.	G.P.L. NO.	DESCRIPTION	QTY. FOR QTY PC-210A ITE #9 PC-	F FOR -210 Item #10
255	104-3002-36	CAPACITOR	3	6
256	104-2002-501	CAPACITOR	3	6
258	104-2002-72	CAPACITOR	3	6
260	1.04-1029-141	CAPACITOR	5	12
261	104-0506-25	CAPACITOR	3	6
262	104-0607-2	CAPACITOR	3	6
263	104-1546-205	CAPACITOR	6	12
264	1.04-1.546-402	CAPACITOR	6	12
265	104-1546-403	CAPACITOR	6	12
266	1.04-1546-404	CAPACITOR	6	12
267	104-1547-401	CAPACITOR	12	24
268	104-1547-402	CAPACITOR	4	6
269	104-1547-403	CAPACITOR)4	6
270	118-34-1	COMMECTOR	3	6
271	104-1545-204	CAPACITOR	21.	42
273	104-1545-208	CAPACITOR	6	12
275	1.04-1545-314	CAPACITOR	12	24
276	104-0639-2	CAPACITOR	3	6
277	1.05-155-1	CON ECTOR	3	6
278	1.05-111-106	CONTECTOR	6	12
279	1.05-149-1	CABLE ASSY.	3	6
281.	6411-111	COIL	3	6
283	1.01-81-54	COIL	6	12
284	101-84-1	COIL	2	0
285	129-88-1	COIL	3	6
291	130-6-2	DIODE	3	6
293	1.05-122-020	COVNECTOR	3	6
294	105-123-520 Approved For Br	CON ECTOR	08 : CIA-RDP81B00879R000900150014-6	6
295	1.05-140-1	CONNECTOR	3	6

Page #10 Approved For Release 1999/09/08 : CIA-RDP81B00879R000900150014-6

			QTI. FOR	QTY FOR
ITEM NO.	G.P.L. NO.	DESCRIPTION	PC-210A Item #9	PC-210 Item#10
296	105-122-030	CONVECTOR	3	6
299	6411 -139	GEAR	2	lı
302	201-8-8	PITCH BEARING	2	Žį.
304	64 <u>11-151</u>	PITCH SECTOR GEAR	2	14
305	119-35-4	RELAY	3	X O
306	120-10-4315	RESISTOR	3	6
307	120-11-4725	RESIS TOR	3	6
308	120-10-8225	RESISTOR	3	6
309	120-12-8225	RESISTOR	3	6
31.0	120-10-9125	RESISTOR	3	6
311	120-10-1035	RESISTOR	3	6
312	120-11-3335	RESISTOR	3	6
313	120-10-6835	RESISTOR	3	6
317	120-10-1345	RESISTOR	3	6
315_	105-151-1	CONTECTOR	3	6
318	120-48-481	RESISTOR	3	6
319	121-0554-9	RESISTOR	3	6
321	120-51-2205	RESISTOR	3	6
323	120-151-2215	RESISTOR	3	6
325	120-51-2235	RESISTOR	3	6
327	120-51-8235	RESISTOR	3	6
328	120-51-1045	RESISTOR	3	6
_329	129-51-3345	RESISTOR	3	6
330	120-51-4745	RESISTOR	6	12
3 31	120-51-1055	RESISTOR	3	6
332	120-51-1555	RESISTOR	6	12
33	120-53-301	RESISTOR	3	6
<i>2</i>	Approved For F	Rel <u>କ୍ୟକ୍ର 1୫</u> 99/09/08 : CIA	A-RDP81B ₀ 00879R0009001	150014-6 ₆
				U

Page #11	Approved For Release 1999/09/06 . CIA-RDF61B006/9R000900130014-0				
ITEI MO.	G.P.B. MO.	DESCRIPTION	QTY, FOR PC-210A Item #9	QTY FOR PC-210 Item #10	
336	120-52-2003	Resistor	6	12	
3 3 8	120-52-2006	Resistor	3	6	
340	120-52-2008	Resistor	3	6	
341	120-52-2009	Resistor	3	6	
342	120-52-2011	Resistor	3	6	
347	120-1536-41	Resistor	3	6	
349	6411-24	Switch	3	6	
350	6411-179	Switch	2	O	
357	1.302-3E29	Electron Tube	3	6	
358	130-2-5636	Electron Tube	3	6	
359	130-2-6203	Electron Tube	3	6	
360	130-2-5896	Electron Tube	3	6	
361.	6411-22	WaveGuide	3	U 5	
366	123-5-1	Synchro	9	18	
36 8	110-14-1	Synchro	3	6	
369	105=122=022	Connector	3	6	
370	114-5-1	Lamp	8	16	
371	122-1-1	Switch DPST	3	6	
372	122-1.0-7	Switch	Ŝ	(6 1)	
373	6417-24	Drive Assembly	2	L ₄	
375	6lµ17-21	Motor-Gear Assembly	2	4 3.	
37 8	104-0642-1	Capacitor	3	6	
379	110-12-1	Noise Generator	3	6	
380	119-34-1.	Relay Armature	3	6	
	e egypter en				
383	146-106-1	Transformer	3	1	
386	6111-78	Cable Assy Release 1999/09/08 : CIA-F	3 2DD81B00870B0000	6 00150014-6	
387 376	6411-79 121-0558-1	Cable Assy. Resistor	3	6	